



Canadian Food
Inspection Agency

Agence canadienne
d'inspection des aliments

Food Safety Directorate
1400 Merivale Road
Postal Locator: T2-4G
Ottawa, Ontario, Canada
K1A 0Y9

Tel: (613) 773-5840 / Fax: (613) 773-5642

Date: 2010/02/24

File: G272

Mr. Andrew K. Delaney
Executive Vice president
Gamajet ® Cleaning Systems, Incorporated
604 Jeffers Circle
Exton, Pennsylvania, USA
19341-2524

RE: Aseptic 1

This is in reference to your submission dated 2010/01/10, concerning the use of the above **Tank Cleaning Device** for which you have requested a letter of non-objection for its use in federally registered food establishments in Canada.

Based on the present available information, no objection will be taken to the use of the above **Tank Cleaning Device** in registered food establishments, provided we do not receive any adverse reports on its physical and chemical suitability, with the understanding that it is used in keeping with the manufacturer's recommendations for application and the Canadian Food Inspection Agency requirements.

This non-objection is not to be misconstrued as an endorsement for this or similar above mentioned **Tank Cleaning Devices**, and its use in Registered Establishments will depend upon its continued acceptability to all concerned.

Should any changes occur in the chemical formulation of the above **Tank Cleaning Device**, then this non-objection will be considered **NULL** and **VOID**.

Should any unacceptable sanitary maintenance problems occur as a result of improper usage or installation, the inspection service may request corrective action to be taken.

Yours truly,

Bernard Dallaire
Program Officer
Chemical Evaluation
Food Safety Directorate
BD/sd

RDMIS#2270992